

Introduction to Theoretical Computer Science
Tutorial 1, 21–22 September
Problems

*Remember to enroll for the course using the TOPI registration system by 1 October. For bookkeeping reasons, registration is **compulsory**, even if you were not intending to attend the lectures or the tutorial sessions.*

Homework problems:

1. Let $A = \{a, b, c\}$, $B = \{b, d\}$, and $C = \{a, c, d, e\}$. List the elements of the following sets:
 - (a) $A \cup (C - B)$;
 - (b) $B \times (A \cap C)$;
 - (c) $\mathcal{P}(\{\emptyset\}) - \mathcal{P}(\emptyset)$.

2. (a) Let $A = \{a, b, c, d\}$, and define a relation $R \subseteq A \times A$ as follows:

$$R = \{(a, b), (b, c), (b, d), (c, a), (d, d)\}.$$

Draw the graphs corresponding to the following relations:

$$(a) R, \quad (b) R^{-1}, \quad (c) R \circ R, \quad (d) (R \circ R) - R^{-1}.$$

Are some of these relations actually functions?

- (b) List all the equivalence relations (partitions) on the set $\{a, b, c\}$.
3. Verify by induction the correctness of the formula:

$$1 \cdot 2^1 + 2 \cdot 2^2 + \cdots + n \cdot 2^n = (n - 1) \cdot 2^{n+1} + 2.$$

Demonstration problems:

4. Define a relation \sim on the set $\mathbb{N} \times \mathbb{N}$ by the rule:

$$(m, n) \sim (p, q) \iff m + n = p + q.$$

Prove that this is an equivalence relation, and describe intuitively (“geometrically”) the equivalence classes it determines.

5. Prove by induction that if X is a finite set of cardinality $n = |X|$, then its power set $\mathcal{P}(X)$ is of cardinality $|\mathcal{P}(X)| = 2^n$.
6. Prove by induction that every partial order defined on a finite set S contains at least one minimal element. Furthermore, provide examples showing that the minimal element is not necessarily unique (i.e. there can be more than one), and that in an infinite set S the claim does not necessarily hold.