

Introduction to Theoretical Computer Science  
 Tutorial 7  
 Solutions to the demonstration problems

4. **Problem:** Prove that the class of context-free languages is closed under unions, concatenations, and the Kleene star operation, i.e. if the languages  $L_1, L_2 \subseteq \Sigma^*$  are context-free, then so are the languages  $L_1 \cup L_2, L_1L_2$  and  $L_1^*$ .

**Solution:** Let  $L_1$  and  $L_2$  be context-free languages that are defined by grammars  $G_1 = (V_1, \Sigma_1, R_1, S_1)$  and  $G_2 = (V_2, \Sigma_2, R_2, S_2)$ . In addition we require that  $(V_1 - \Sigma_1) \cap (V_2 - \Sigma_2) = \emptyset$ . That is, the grammars may not have any common nonterminals. Since the nonterminals may be renamed if necessary, this is not an essential limitation.

*Union:* Let  $S$  be a new nonterminal and  $G = (V_1 \cup V_2 \cup \{S\}, \Sigma_1 \cup \Sigma_2, R_1 \cup R_2 \cup \{S \rightarrow S_1 \mid S_2\}, S)$ . Now  $L(G) = L(G_1) \cup L(G_2) = L_1 \cup L_2$ . This holds, since the initial symbol  $S$  may derive only  $S_1$  or  $S_2$ , and they in turn may derive only strings that belong to the respective languages. (If the sets of nonterminals were not disjoint, this would not hold).

*Concatenation:* The language  $L_1L_2$  is defined by the following grammar:  $G = (V_1 \cup V_2 \cup \{S\}, \Sigma_1 \cup \Sigma_2, R_1 \cup R_2 \cup \{S \rightarrow S_1S_2\}, S)$

*Kleene star:* The language  $L_1^*$  is defined by the following grammar:  $G = (V_1 \cup \{S\}, \Sigma_1, R_1 \cup \{S \rightarrow \epsilon \mid SS_1\}, S)$

5. **Problem:** Prove that the following context-free grammar is ambiguous:


$$\begin{aligned} S &\rightarrow \text{if } b \text{ then } S \\ S &\rightarrow \text{if } b \text{ then } S \text{ else } S \\ S &\rightarrow s. \end{aligned}$$

Design an unambiguous grammar that is equivalent to the grammar, i.e. one that generates the same language.

**Solution:** A context-free grammar is ambiguous if there exists a word  $w \in L(G)$  such that  $w$  has at least two different parse trees. The simplest word for the given grammar that has this property is:

$$\text{if } b \text{ then if } b \text{ then } s \text{ else } s.$$

Its two parse trees are:



Usually we want to associate an **else**-branch to the closest preceding **if**-statement. In this case the former tree corresponds to this practice.

We define a grammar  $G$  as follows:

$$\begin{aligned}
 G &= (V, \Sigma, P, S) \\
 V &= \{S, B, U, s, b, \mathbf{if}, \mathbf{then}, \mathbf{else}\} \\
 \Sigma &= \{s, b, \mathbf{if}, \mathbf{then}, \mathbf{else}\} \\
 P &= \{S \rightarrow B \mid U \\
 &\quad B \rightarrow \mathbf{if } b \mathbf{ then } B \mathbf{ else } B \mid s \\
 &\quad U \rightarrow \mathbf{if } b \mathbf{ then } S \mid \mathbf{if } b \mathbf{ then } B \mathbf{ else } U\}
 \end{aligned}$$

Here the nonterminal  $B$  is used to derive balanced programs where each **if**-statement has both **then**- and **else**-branches. The nonterminal  $U$  derives those **if**-statements that do not have an **else**-branch.

6. **Problem:** Design a recursive-descent (top-down) parser for the grammar from Problem 6/6.

**Solution:** The following C-program implements a top-down parser for the following grammar:

$$\begin{aligned}
 C &\rightarrow S \mid S; C \\
 S &\rightarrow a \mid \mathbf{begin } C \mathbf{ end} \mid \mathbf{for } n \mathbf{ times do } S
 \end{aligned}$$

This grammar is a simplified form of the one in problem 6.6. The difference is that all different numbers are replaced by a new terminal symbol  $n$  that denotes a number.

The most important functions of the program are:

- `C()`, `S()` — implement the rules of the program.
- `lex()` — read the next lexeme from the input, and store it in a global variable `current_tok`.
- `expect(int token)` — tries to read the lexeme `token` from input. Gives an error message if it fails.
- `consume_token()` — mark the current lexeme used. This is necessary because sometimes we have to have a one-token lookahead before we know what rule we must apply.

In practice, the programming language parsers are implemented using *lex* and *yacc* tools<sup>1</sup>. Of these, *lex* generates a finite automaton-based lexical analyser from identifying lexemes that have been defined using regular expression, and *yacc* constructs a pushdown automaton-based parser for a given context-free grammar.

```

#include <stdio.h>
#include <stdlib.h>
#include <ctype.h>

/* Define the alphabet */
enum TOKEN { DO, FOR, END, BEGIN, TIMES, OP, SC, NUMBER, ERROR };
const char* tokens[] = { "do", "for", "end", "begin", "times", "a",
                        ";", "NUMBER", NULL };

/* A global variable holding the current token */
int current_tok = ERROR;

```

<sup>1</sup>Or some of their derivatives, like *flex* or *bison*.

```

/* Maximum length of a token */
#define TOKEN_LEN 128

/* declare functions corresponding to nonterminals */
void S(void);
void C(void);

int lex(void);
void consume_token(void);
void error(char *st);
void expect(int token);

void C(void)
{
    S();
    lex();
    if (current_tok == SC) {
        consume_token();
        C();
        printf("C => S ; C\n");
    } else {
        printf("C => S\n");
    }
}

void S(void)
{
    lex();
    switch (current_tok) {
    case OP:
        consume_token();
        printf("S => a\n");
        break;
    case BEGIN:
        consume_token();
        C();
        expect(END);
        printf("S => begin C end\n");
        break;
    case FOR:
        consume_token();
        expect(NUMBER);
        expect(TIMES);
        expect(DO);
        S();
        printf("S => for N times do S\n");
        break;
    default:
        error("Parse error");
    }
}

/* int lex(void) returns the next token of the input. */

```

```

int lex(void)
{
    static char token_text[TOKEN_LEN];
    int pos = 0, c, i, next_token = ERROR;

    /* Is there an existing token already? */
    if (current_tok != ERROR)
        return current_tok;

    /* skip whitespace */
    do {
        c = getchar();
    } while (c != EOF && isspace(c));
    if (c != EOF) ungetc(c, stdin);

    /* read token */
    c = getchar();
    while (c != EOF && c != ';' && !isspace(c) && pos < TOKEN_LEN) {
        token_text[pos++] = c;
        c = getchar();
    }
    if (c == ';') {
        if (pos == 0) /* semicolon as token */
            next_token = SC;
        else /* trailing semicolon, leave it for future */
            ungetc(';', stdin);
    }
}
token_text[pos] = '\0'; /* trailing zero */

/* identify token */
if (isdigit(token_text[0])) { /* number? */
    next_token = NUMBER;
} else { /* not a number */
    for (i = DO; i < NUMBER; i++) {
        if (!strcmp(tokens[i], token_text)) {
            next_token = i;
            break;
        }
    }
}
current_tok = next_token;
return next_token;
}

void consume_token(void)
{
    current_tok = ERROR;
}

void error(char *st)
{
    printf(st);
    exit(1);
}

```

```
}

/* try to read a 'token' from input */
void expect(int token)
{
    int next_tok = lex();
    if (next_tok == token) {
        consume_token();
        return;
    } else
        error("Parse error");
}

int main(void)
{
    int i;
    C();
    return 0;
}
```